Material pressure tank series DG

John Fachmann.
FROM EXPERTS. TO EXPERTS.



When spraying material continuously in considerable volume, the employment of a SCHÜTZE material pressure tank pays off within a short period of time.

The material pressure tanks of series DG are made from stainless steel. All necessary fittings, as two pressure reducers, safety valve 6 bar (type approved) and connections are installed on top of the tank. Quick locking lid for re-filling the tank.

The low weight and the handle of the pressure tanks DG allows also comfortable handling, f.i. for mobile use.

Advantages compared with spraying by cup guns:

- less interruptions for refilling flow cups
- clean working area
- better handling of spray gun
- pressure feed results in more fluid output per unit of time
- constant flow of fluid improves quality of lay on
- reduced fluid mist by less air friction with fluid particles
- internal mix nozzles in spray guns for special effect paints also for reduced mist effects
- several spray guns can be fed simultaneously (option)

Available volumes:

DG 9 = approx. 9 liter DG 18 = approx. 18 liter

Options:

- connections for several spray guns
- different connection sizes: standard = for hose 6/4mm, options = for hose 8/6mm or '/4" inner thread or '/4" outer thread





Technical data:

material pressure measurements DG 9 measurements DG 18

measurements DG 18 :Ø 230mm, height 665mm weight DG 9 :4 kg weight DG 18 :5 kg

material

:stainless steel

:max. 6 bar

:Ø 230mm, height 430mm

ALFRED SCHÜTZE Apparatebau GmbH

Spraytechnology –Tel. +49 (421) 43 51 00Fax +49 (421) 435 10-43

Internet: http://www.schuetze-gmbh.de

E-mail: info@schuetze-gmbh.de